Hinges in onyx black






Proven CLIP top BLUMOTION quality



The secret's inside! Innovative technology within the smallest space Impeccable, clock-like precision. Integrated BLUMOTION is innovative technology at its best. Delivering soft and effortless closing to cabinet doors.




every door The closing mechanism and BLUMOTION feature work in harmony so that every door (no matter how small or light) closes with a gentle push.




and effortlessly The BLUMOTION feature can be deactivated to ensure that even smaller or lighter doors boast top quality motion.

Even small doors close softly


Our dark hinges give you even more creative freedom when designing your furniture.



Create seamless integration or visual impact. The hinge system in onyx black gives you countless possibilities.



CLIP top BLUMOTION onyx black allows you to elegantly combine different thin front materials.







CLIP top BLUMOTION applications for thin doors



CLIP top BLUMOTION 95° profile door applications, 0-protrusion



CLIP top BLUMOTION inset blind corner applications



CLIP top BLUMOTION 155° wide angled applications

Our wide range of Blum hinges in onyx black offers the right solution for almost every application. It allows you to turn your design ideas into reality – be it elegant sideboards with thin doors or glass display cabinets.





Detailed information on the awards: www.blum.com/award

Ordering information

Hinge	Boss fixing	Overlay application	Half overlay application	Inset application	Blind corner application
CLIP top BLUMOTION					
110°	INSERTA	71B3590	71B3690	71B3790	
155° hinge, 0-protrusion	INSERTA	71B7590			
Thin doors	EXPANDO T	71B453T			
95° profile/thick door hinge	INSERTA	71B9590			
Blind corner hinge, inset application	INSERTA				79B9590

Hinge	Boss fixing	Overlay application
CLIP top unsprung		
110°	INSERTA	70T3590.TL
95° profile/thick door hinge	INSERTA	70T9590BTL
155° hinge, 0-protrusion	INSERTA	70T7590.TL

Ordering information

Mounting plates	Fixing	Spacing (mm)	Straight 20/32	Cruciform 37/32
Mounting plate with cam height	Knock-in	0	177H3100	
adjustment	EXPANDO	0	177H3100E	174H7100E
		3	177H3130E	
Height adjustable mounting plate, 2-part with screw	For system screws	6		175H9160

Accessories	Hinge type	Hinge type			
Hinge arm cover caps, plain	95° profile/thick door a	95° profile/thick door and aluminium frame door hinge, +45° I, +30° II, +15° III			
	CLIP top BLUMOTION	CLIP top BLUMOTION 155 and CLIP top BLUMOTION EXPANDO T for thin fronts			
Hinge arm cover caps, stamped with Blum logo	110 & and blind corner	110 & and blind corner hinges			
Hinge boss cover caps (screw-on and knock-in)	CLIP top BLUMOTION	CLIP top BLUMOTION for thin doors			
TIP-ON	For unsprung hinges	TIP-ON with magnet, in carbon black, long version, standard spring	956A1004		
		TIP-ON with magnet, in carbon black, short version, standard spring	956.1004		
TIP-ON adapter plates	Straight adapter plate,	Straight adapter plate, in carbon black, short version			
	Straight adapter plate,	Straight adapter plate, in carbon black, long version			



More application options at: www.blum.com/onyx-black

-	

Houzz (PRO): Blum Australia

☑ Instagram:

@blumaustralia, #blumaustralia

Facebook:

facebook.com/blumaustralia

in LinkedIn:

linkedin.com/company/blum-australia

Android App on Google Play: Easy Assembly App

Available on the App Store:

Easy Assembly App

Tag Us:

#blumaustralia

Blum Showrooms Sydney (Head Office)

10 Blackbird Close Len Waters Estate NSW 2170

Ph: 02 9612 5400

Adelaide

179 Railway Terrace Mile End SA 5031 Ph: 08 8118 6070

Brisbane

6/39-45 Compton Road **Underwood QLD 4119** Ph: 07 3135 9490

Melbourne

245 Ferntree Gully Road Mount Waverley VIC 3149 Ph: 03 9982 1720

Perth

3/425 Scarborough Beach Road Osborne Park WA 6017 Ph: 08 6467 0110

Blum Australia Ptv Ltd PO BOX 1615

Green Valley, NSW, 2168

Australia

Toll Free: 1800 179 186 E-mail: info.au@blum.com

blum.com







