



### Contents

- **04** Design
- 06 Integrated features
- 08 SERVO-DRIVE
- 10 Compact range
- 12 Living world
- 14 User convenience
- Motion technologies
- 18 Product range
- 20 AVENTOS HF top
- 22 AVENTOS HS top
- 24 AVENTOS HL top
- 26 AVENTOS HK top
- 28 AVENTOS HK-S
- 30 AVENTOS HK-XS
- 32 Lift systems overview
- 34 Blum quality
- 36 Blum services
- 38 moving ideas

# Working in harmony

All lift system types are now available in a compact top version – be it a bi-fold, up and over, lift up or stay lift system. The elegantly designed fittings can be used to create exciting combinations of wall cabinets within any scenario. The lift mechanisms are concealed behind silk white, light grey or dark grey cover caps – tone on tone with the furniture or as a pleasing contrast. Customised branding elements make AVENTOS HF top, HS top, HL top and HK top unique.









# Functional and multi-talented

With the fittings of the AVENTOS top family, you have two options for installing the lift mechanism: either with the system screws or using the integrated positioning system. You can assemble the lift mechanism quickly, easily and correctly – and without the need for calculation thanks to predefined fixing positions. The integrated BLUMOTION soft-close system and opening angle stops are also simple to adjust.





The lift mechanism can be conveniently adjusted from the front even with the cover cap already in place.



Enjoy the convenience of tool-free assembly and intuitive start-up of the SERVO-DRIVE electrical motion support system. AVENTOS HF top, AVENTOS HL top and AVENTOS HS top all have the same low-noise drive unit, making them a pleasure to use. Not only do you get added convenience, the lift systems also impress with their clear-cut, slimline design.





Colour signals with integrated error recognition support the start-up process.



Even with SERVO-DRIVE, AVENTOS top features a slim design.

# A sophisticated ensemble

AVENTOS top takes up little space in wall cabinets and in warehouses. The fittings are designed so that you only need a few different components, but still have full design freedom: the symmetrically designed lift mechanisms and lever arms are suitable for different sizes of wall cabinets and compatible with all motion technologies. What is more, the same cover cap can be used for HF top, HS top and HL top. This saves decision making when it comes to selection, procurement and handling.



### **Cover caps**

You can add your own branding and choose from three timeless colours.









In a kitchen, ergonomics are just as important as good looks. After all, it is primarily a workspace as well as a living area. Where people move around a lot, tall and wall cabinets with lift systems are always preferable – our worldwide requirements research into kitchen use bears this out. For this reason, we are constantly developing our lift systems. User-friendly furniture means better quality of life for your customers.



### Always freely accessible

The front lifts up and out of the way so it can be left open while the kitchen is in use. This means that storage items are always readily accessible.







Wall cabinets come in all heights and widths to suit storage space requirements, or can be designed to line up with the gap layout of base units.



### Stays in any position

With its variable stop the lift system holds in any position, so that the front can be reached easily for closing.







For more information about our motion technologies, visit: www.blum.com/4formore





### **Virtually noiseless: BLUMOTION**

Wall cabinets close softly and effortlessly with the integrated soft-close mechanism – no matter how large or heavy the front or whether you close it with force.





### **Pretty smart: SERVO-DRIVE**

The electrical motion support system lets you open the front with a single touch. The wall cabinet closes softly at the press of a switch.





### Simply practical: TIP-ON


The mechanical support system gives you one-touch opening and easy access to the opening edge of fronts. To close, simply press shut.



# A wide repertoire

AVENTOS top lift systems are as diverse as the needs and wishes of your customers. No matter how large the wall cabinets are or which living area they are installed in, there is always a suitable fittings solution. You can choose between a bi-fold, up and over, lift up or stay lift system. And because all types harmonise with each other, they are easy to combine.















### High storage space:

The integrated opening angle stop prevents the front from hitting the ceiling.



### Space to put things away:

Large bi-fold lift system for heights up to 1200 mm allows appliances to disappear into the worktop mounted cabinet.



### Full design freedom:

Asymmetrical fronts and a mix of materials create an exciting visual impact.







Elegant motion and clear visibility of contents: Even with large wall cabinets, no stabiliser rods are needed.



Putting the crowning touch on fine furniture: For example by incorporating design details.



Slim and elegant: Fronts from 8 mm are possible with the EXPANDO T fixing system.





### Open to ideas:

AVENTOS HL top also allows mitred and rebated applications as well as thin fronts from 8 mm.



### A harmonious unit:


AVENTOS HL top allows you to conceal electrical appliances behind a continuous front.



### Usable anywhere:

AVENTOS HL top opens up new design possibilities in living areas and workspaces.







Suits any design style:

The AVENTOS HK top lift mechanism is amazingly versatile.



Collision-free opening guaranteed:

The integrated opening angle stop can be adjusted precisely.



Not only for the kitchen:

AVENTOS HK top looks good in all areas of the home.



# **AVENTOS HK-S for small wall cabinets**

Don't waste storage space! If there's space above a tall cabinet, it can readily accommodate a lift system. Thanks to its compact design, AVENTOS HK-S is the ideal fitting for small wall cabinets. In tall cabinets, the lift system offers practical storage solutions for rarely used items. The front lifts up and out of the way, giving you easy access to contents.



Stops where you want it to:
The lift mechanism can be precisely
adjusted so that the small stay lift front
holds in any position desired.



One-touch TIP-ON:
The front opens with a single touch.
To close, press shut.





A real eye-catcher: AVENTOS HK-S enhances any room.



# **AVENTOS HK-XS for small wall cabinets**

In a perfectly planned kitchen, every inch is used wisely. Small stay lifts in tall and wall cabinets ensure plenty of creative scope even where space is limited. The slim AVENTOS HK-XS fitting solution can also be used on one side, depending on the wall cabinet size. CLIP top BLUMOTION hinges, included in the order, ensure soft and effortless closing.



The choice is yours: From thick wooden fronts to wide or narrow aluminium frame fronts, anything is possible.



As you like it: The lift system holds in any desired position.



Small but perfectly formed: AVENTOS HK-XS can be used even in very limited spaces.

# The right lift system for any application

AVENTOS	Motion	Typical applications	Front weight	Front and cabinet design	Cabinet dimensions in mm
HF top		Wall cabinet, high, bi-fold fronts, worktop mounted cabinet		Wooden, wide/narrow aluminium frame fronts, wood-glass combinations, asymmetrical fronts, mitred and rebated applications	Height 480-1200 Width up to 1800
HS top		Wall cabinet (if space), large, one-part fronts, with cornice and crown mouldings		Thin fronts, wooden, wide/narrow aluminium frame fronts, mitred and rebated applications	Height 350-800 Width up to 1800
HL top		Wall cabinet, tall cabinet (if space) within reach, appliances behind, worktop mounted cabinet		Thin fronts, wooden, wide/narrow aluminium frame fronts, mitred and rebated applications	Height 300-580 Width up to 1800
HK top		Wall cabinet, tall cabinet, above fridge, larder unit, oven		Thin fronts, wooden, wide/narrow aluminium frame fronts, mitred and rebated applications	Height 205-600 Width up to 1800
HK-S		Wall cabinet, tall cabinet, above fridge, larder unit, oven	ň	Wooden, wide/narrow aluminium frame fronts	Height 180-600 Width up to 1800
HK-XS		Wall cabinet, tall cabinet, above fridge, larder unit, oven, extractor, bath	On both sides	Wooden, wide/narrow aluminium frame fronts	Height 240-600 Width up to 1800



Internal minimum depth in mm	Assembly and installation information	Motion technology	Cover caps
264	2 fixing options:  — Pre-mounted system screws  — Chipboard screws with positioning system  — Fixed position of the lift mechanism within the cabinet	BLUMOTION by Blum SERVO-DRIVE by Blum	Silk white Light grey Dark grey
264	<ul> <li>Fixed position of the front fixing bracket</li> <li>Lift mechanism adjustment from the front</li> <li>Integrated opening angle stop on the AVENTOS HF top and HK top</li> <li>Integrated BLUMOTION adjustment on the AVENTOS HF top,</li> <li>HS top and HL top</li> <li>No hinges / no machining of the top panel required</li> </ul>	BLUMOTION by Blum SERVO-DRIVE by Blum	Silk white Light grey Dark grey
264	(exception: AVENTOS HF top)	BLUMOTION  by Blum  SERVO-DRIVE  by Blum	Silk white Light grey Dark grey
187		BLUMOTION by Blum SERVO-DRIVE by Blum TIP-ON by Blum	Silk white Light grey Dark grey
163	Lift mechanism is installed using chipboard screws  No hinges required	BLUMOTION  by Blum  TIP-ON  by Blum	Silk white Light grey Dark grey
125 (Special solution for depth of 100 mm possible)	Lift mechanism is installed using chipboard screws  Hinges / machining of the top panel required	BLUMOTION by Blum TIP-ON by Blum	No cover caps







Blum quality revolves around one key question: Do our products meet your needs? And because your needs change over time, we maintain a dialogue with you, we listen, ask questions and continuously develop the requirements of our products and services.



#### **Quality controls**

More than 26,000 pieces of testing and measuring equipment are used at Blum worldwide



#### **Computer simulation**

Ensuring quality as early as the development phase



### **Quality test**

Lift systems undergo motion and load tests: 80,000 opening and closing cycles



### **Testing**

Materials are tested using a variety of methods (e.g. corrosion test, salt spray test or tensile test)







Our services are precisely tailored to your needs along every step of your process chain, allowing you to work more efficiently and thereby saving time. Customised for you, available whenever and wherever you need them.



**Digital services** 

Digital support for greater efficiency



**Assembly devices** 

Practical tools for precise work



#### **Communication services**

Comprehensive material for targeted marketing



### **Personal services**

Direct contact for customer-focused support



### **Logistics services**

Optimised processes for fast delivery



Find out more about our services:

www.blum.com/services







### **Quality of living**

We would like you to enjoy greater convenience and functionality when using furniture.



### **Product range**

Everything from a single source: our wide range of products allows you to keep up with today's and tomorrow's trends.



## **Inspiration**

We monitor global trends and strive to create the solutions of tomorrow. We like to share our insights with you.



### **Innovation**

We stay in motion. Curiosity and pioneering spirit drive us to develop new products and services for you.



### **Services**

We support your daily operations with customised services tailored to your processes.



## Quality

We continuously strive to improve our products, services and ourselves.



### **Trust**

We take responsibility for partnerships, our employees, society and the environment. Julius Blum started our journey in 1952 with horseshoe studs. Today we supply innovative fittings to customers in over 120 countries.

Blum South East Asia Pte. Ltd. 150 Ubi Avenue 4 #02-01 Ubi Biz-Hub Singapore 408825 Rep. of Singapore

Tel.: +65 6 547 1760 Fax.: +65 6 547 1761 E-Mail: info.sg@blum.com

www.blum.com

Julius Blum GmbH Furniture Fittings Mfg. 6973 Höchst, Austria Tel.: +43 5578 705-0

Fax: +43 5578 705-44 <u>E-mail</u>: info@blum.com

www.blum.com

Our sites in Austria, Poland and China are certified to the international standards mentioned below.

Our site in the USA is certified to ISO 9001.

Our site in Brazil is certified to ISO 9001. ISO 14001 and ISO 45001.







