


TANDEMBOX intivo i3

INSTALLATION
SHEET



豪华金属抽百变星系列




Item	Qty	Unit	Description
1	1	pair	Drawer sides left/right 抽帮左/右
2	2	pcs	Cover caps with Blum logo / 装饰盖 左/右
3	1	pair	Back fixing left/right 背板固定件 左/右
4	1	pair	Front fixing brackets / 前接码
5	1	pc	Front panel/ 前板
6	1	pc	Locking piece/ 固定件




Planning / 设计


Cutting dimensions/ 切板的尺寸



Back/ 后背板




Base/ 底板



Chipboard back / 木背板
NL - 24 mm


CW - Cabinet width / 箱体宽度
ICW - Inner cabinet width/ 箱体净宽
NL - Nominal length / 标称长度

Space requirements in carcass/ 箱体内的空间需求




*73 mm minimum dimension can be achieved by using ZIF.80M7/ 使用 ZIF.80M7 内径高度可达到最少73 mm

Back installation dimensions/ 背板安装尺寸



Cutting dimensions for front piece without groove / 不带凹槽的内抽前板裁切尺寸




$$X = ICW - 132$$


ICW - Inner cabinet width/ 箱体净宽

Assembly / 安装指示


Assembly front / 安装面板




Assembly front / 安装面板



Assembly cover cap / 安装装饰盖




Removal of front / 拆卸面板



Assembly / 安装指示

Mounting front fixing Z31A0008 / 安装面板固定件

Starting with cabinet width/ 箱体宽度 > 600 mm



Julius Blum GmbH
Furniture Fittings Mfg.
6973 Hoechst, Austria
Tel.: +43 5578 705-0
Fax: +43 5578 705-44
E-Mail: info@blum.com
www.blum.com
connect.blum.com